

Knitted Wire Mesh Gaskets Over Elastomer Core

Description:

Two covers of knitted wire mesh over elastomer core available in Neoprene Sponge, Neoprene Solid, Silicone Sponge, Silicone Solid, Silicone Hollow, Polyurethane Foam or others. Wire mesh available in Sn/Ph/Br, Sn/Cu/Fe or Monel.



Ordering information:

The products are supplied on spool, coils or cut to length as individual gaskets. Customized size and shape acceptable.


EMI Shielding Effectiveness:

Materials	Magnetic-field	Electric-field	Plane wave	
	100KHz	100MHz	1GHz	10GHz
	dB	dB	dB	dB
Sn/Cu/Fe	80	130	105	95
Su/Ph/Bz	80	130	110	95
Monel	60	125	90	80

Based on 127mm*127mm


Shapes:

Rectangular




Model	Width(mm)	Height(mm)
PECWM-SM-RP10*6	10	6
PECWM-SM-RN9.5-9.5	9.5	9.5

Round Solid




Model	Diameter(mm)
PECWM-DM-FSD4.5	4.5

Round Hollow



Round With Tail



Model	Width(mm)	Diameter(mm)
PECWM-DM-FND3.2*12.7	12.7	3.2

Q-FLEX

Avantintie 7, FI-21420 Lieto
 +358 2 4894 500
 info@q-flex.fi | q-flex.fi