




KYCON



1. D-Subminiature
2. Universal Serial Bus 2.0
3. Universal Serial Bus 2.0, 3.0 & 3.1
4. Universal Serial Bus 3.0 & 3.1
5. Modular Jacks
6. Modular Jacks (continued)

7. Modular Jacks Magnetics
8. Modular Jacks & 3.5mm Audio Jacks
9. 3.5mm Audio Jacks (continued)
10. 3.5mm & 2.5mm Audio Jacks
11. DC Power
12. DC Power (continued)

13. Circular/Mini Din & Custom Cables
14. IP67 & HDMI

WWW.KYCON.COM

 KYCON

305

Q-FLEX

www.q-flex.fi info@q-flex.fi
+358 2 4894 500

























































































































D-Subminiatures

 Option Available

 Contact Kycon for Option

D-Sub Product Page: [Click here](#)

[Table of Contents](#)

	Right Angle	Vertical	IDC	Surface Mount	Through Hole	Solder Cup	High Density	Stacked Multi-Port	PC99	High Temp	Ferrite
 K202XHT Surface Mount, Right Angle											
 K22X 0.318" Footprint, Right Angle PCB Mount											
 K31X 0.071" Footprint, Right Angle PCB Mount											
 K42X Stacked, Right Angle PCB Mount											
 K61X 0.20" Footprint, PCB Mount Right Angle, High Density											
 K66X 0.350" Footprint, PCB Mount High Density, Right Angle											
 K85X Vertical, PCB Mount Solder Cup, Low Profile											
 K86X Vertical, PCB Mount Solder Cup, High Density											
 K88X Vertical, PCB Mount High Profile											
 K99X IDC											

Kycon initially offered Dsub Connectors in 1988. Throughout the years our product lines expanded to include USB, Modular Jacks, DC Power Connectors, Audio Jacks, Mini Dins, HDMI, and Cable Assemblies.

Kycon's current product offerings can be found in this catalog.


























































































Universal Serial Bus 2.0

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

Table of Contents

	Through Hole	Surface Mount	Mid-Mount	Right Angle	Vertical	Slim Upright	Low Profile	Plug	A-Type	B-Type	Mini B-Type	Micro B-Type	Micro AB-Type	Stacked	High Temp
 KUSBX Right Angle, PCB Mount A&B-Type															
 KUSBX-SMT Right Angle, Surface Mount A&B-Type															
 KUSBXHT-SB A-Type, Short Body															
 KUSBX-SL A-Type, Slim Upright															
 KUSBX-SMT2 Surface Mount, A-Type Plug															
 KUSBX-SMT4 Right Angle, Surface Mount A-Type															
 KMBX Mini B-Type, Surface Mount & PCB Mount															
 KMBVX Mini B-Type, Vertical															
 KMMLX Micro B-Type, Mid-Mount															
 KMMX Micro AB&B-Type Surface Mount															
 KMMVX Micro B-Type, Vertical															

















































































Universal Serial Bus 2.0

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

[Table of Contents](#)

	Through Hole	Surface Mount	Mid-Mount	Right Angle	Vertical	Slim Upright	Low Profile	Plug	A-Type	B-Type	Mini B-Type	Micro B-Type	Micro AB-Type	Stacked	High Temp
 KUSBLPX Low Profile, A-Type Single & Stacked, PCB Mount Right Angle															
 KUSBVX Vertical, PCB Mount A&B-Type															
 KUSBVLPX Low Profile, A-Type Vertical															
 KUSBEX Fully Shielded, Right Angle															
 High Retention															

































































Universal Serial Bus 3.0 & 3.1

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

[Table of Contents](#)

	Through Hole	Surface Mount	Hybrid Contacts	Mid-Mount	Right Angle	Vertical	Slim Upright	Plug	A-Type	B-Type	C-Type	Micro B-Type	Micro AB-Type	Stacked	High Temp
 KUSBX-MM-CS C-Type, Mid-Mount, 3.1															
 KUSBX-SMTTH C-Type, Hybrid, Top Mount 3.1															
 KUSBX-SMT-CS C-Type, Dual Row Surface Mount, Top Mount 3.1															
 KUSBVX-SMT-CS C-Type, Vertical, 3.1															


















































Universal Serial Bus 3.0 & 3.1

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

Table of Contents

	Through Hole	Surface Mount	Hybrid Contacts	Mid-Mount	Right Angle	Vertical	Slim Upright	Plug	A-Type	B-Type	C-Type	Micro B-Type	Micro AB-Type	Stacked	High Temp
 KUSBX-SL-CS1N14 C-Type, Upright, Slim Profile															
 KUSBX-SL-CS1N14-B C-Type, Flag Style Gen 2, 3.2															
 KUSBX-SMT-CS-6-BTR C-Type, Surface Mount 6 Pin															
 KUSBX-SMTTH-CSE-F2-BTR C-Type, SMT & TH Pins with flange, Panel Mount															
 KMMX Micro 3.0															
 KUSBVX A & B-Type, 3.0															
 KUSBX-SLAS1N9 A-Type, Slim Upright, 3.0															
 KSUBX-SMT-AP9 A-Type, Surface Mount Plug, 3.0															
 KUSBX Single & Stacked, 3.0															

[Back to the top](#)

Kycon USB connectors are used in many consumer goods applications. Kycon offers USB 2.0 in right angle, stacked, vertical, upright, mini and micro versions. Kycon also offers USB 3.0 right angle, vertical and micro versions.

Additional options may include through hole, surface mount and high retention.















































































































Modular Jacks

 Option Available

 Contact Kycon for Option

Mod Jacks Product Page: [Click here](#)

Table of Contents

	Positions	Contacts	Ganged	Right Angle	Vertical	Mid-Mount	Through Hole	Surface Mount	Shielded	LED	Panel Stops	Keyed	High Temp
 GA2MJLX Stacked, with LEDs	8	8											
 GDCX Vertical, PCB Mount	4, 6, 8	4, 6, 8											
 GDLX .492" Height, Right Angle	6, 8	2, 4 6, 8											
 GDTX Cat 5, Vertical, PCB Mount	8	8											
 GDWLX Vertical, PCB Mount, with LEDs	8	8											
 GDWX Vertical, PCB Mount without LEDs	8	8											
 GDX .594" Height, Right Angle	4, 6, 8	2, 4 6, 8											
 GLX .570" Height, Right Angle	4, 6 8, 10	2, 4, 6 8, 10											
 GMX .45" Height, Right Angle	4, 6, 8 10	2, 4, 6 8, 10											
 GMJXHT-MM .388" Height, Mid-Mount Right Angle	8	8											






















































Modular Jacks

 Option Available

 Contact Kycon for Option

Mod Jacks Product Page: [Click here](#)

[Table of Contents](#)

	Positions	Contacts	Ganged	Right Angle	Vertical	Mid-Mount	Through Hole	Surface Mount	Shielded	LED	Panel Stops	Keyed	High Temp
 GSX .537" Height, Single CAT 5, Right Angle	8	8											
 GSLX .537" Height, Right Angle CAT 5, with LEDs	8	8											
 GTVX Vertical, Surface Mount	4, 6, 8	4, 6, 8											
 GWLX .531" Height, PCB Mount, Right Angle, with LEDs	8	8											
 GWLEX .531" Height, PCB Mount, Right Angle, with LEDs	8	8											
 GWX .531" Height, Right Angle	8	8											
 GSGX .543" Height, Ganged CAT 5, Right Angle	8	8											
 GSLGX .543" Height, Ganged Right Angle, with LEDs	8	8											
 GWLGX .531" Height, Ganged, PCB Mount, Right Angle, with LEDs	8	8											

Kycon Modular Jacks can be used in computer, networking and telecommunication applications.

Kycon offers single, stacked, vertical, and ganged options with a variety of available positions, number of contacts and mounting options. Other available options may include key options, panel stops, LED's, shielding, and magnetics.

































































Modular Jacks Magnetics

 Option Available

 Contact Kycon for Option

Mod Jacks Product Page: [Click here](#)

[Table of Contents](#)

	Positions	Contacts	Ganged	Stacked	Right Angle	Vertical	Through Hole	Surface Mount	Shielded	LED	Magnetics	High Temp
 G1LX RJ45 with 10/100 Magnetics Tab Down with LEDs	8	8										
 G2LX RJ45 with 10/100 Magnetics Tab Up with LEDs	8	8										
 G3LX RJ45 with 10/100 Magnetics Vertical with LEDs	8	8										
 G5LX RJ45 with 10/100 Magnetics & POE	8	8										
 G7LX RJ45 with 10/100 Magnetics & POE, with LEDs	8	8										
 G8X RJ45 with 10/100 Magnetics & POE	8	8										
 G8LX RJ45 with 10/100 Magnetics & POE	8	8										
 G10X Dual Stack RJ45 with Gigabit Magnetics	8	8										
 G14X RJ45 Dual Port with 10/100 Magnetics	8	8										
 G15LX RJ45 with 10/100 Magnetics & POE	8	8										

[Back to the top](#)

Modular Jacks Magnetics


[illegible]

3.5mm Audio Jacks

[illegible]





























































3.5mm Audio Jacks

 Option Available

 Contact Kycon for Option

Audio Jacks Product Page: [Click here](#)

Table of Contents

	Mono	Stereo	4 Pole	5 Pole	Plug	Right Angle	Vertical	Panel Mount	Mid-Mount	Through Hole	Surface Mount	Plastic Barrel	Threaded	PC99	High Temp
 STX-3500 Surface Mount															
 STX-3501 PCB Mount															
 STPX-3501 Panel Mount															
 STX-35017 PCB Mount															
 STX-35332 Surface Mount															
 STX-35061 Surface Mount															
 STX-353E7A PCB Mount															
 STX-373K7A Vertical Mount															
 STX-35398A Mid-Mount															
 STX-35398E Mid-Mount, No Barrel															

Kycon audio jacks are used in a wide array of applications within consumer electronics, computer, and medical devices. Along with our wide range of mounting styles, we offer many different switching options. In addition, many of our stereo jacks are available with PC99 color options, threaded barrels and tape and reel packaging.


































3.5mm Audio Jacks

 Option Available

 Contact Kycon for Option

Audio Jacks Product Page: [Click here](#)

[Table of Contents](#)

	Mono	Stereo	4 Pole	5 Pole	Plug	Right Angle	Vertical	Panel Mount	Cable Mount	Mid-Mount	Through Hole	Surface Mount	Plastic Barrel	Threaded	PC99	High Temp
 STX-3680 Vertical Mount																
 STX-3790 Vertical Mount																
 STX-4235 Stacked, PCB Mount																
 STX-4335 Triple Stacked PCB Mount																
 STX-3542 Surface Mount 5 Pole																
 STX-P-5Pole Plug, Cable Mount																

[Back to Top](#)

















2.5mm Audio Jacks

 Option Available












 Contact Kycon for Option

Audio Jacks Product Page: [Click here](#)

[Table of Contents](#)

	Stereo	4 Pole	Through Hole	Mid-Mount	Surface Mount	High Temp		Stereo	4 Pole	Through Hole	Mid-Mount	Surface Mount	High Temp
 STX-2000 PCB Mount							 STX-25427 Surface Mount, 4 Pole						
 STX-2500 Surface Mount							 STX-25442 Mid-Mount, 4 Pole						
 STX-25406 Surface Mount, 4 Pole							 STX-2550 Surface Mount						


DC Power

 Option Available  Contact Kycon for Option DC Power Product Page: Click here Table of Contents	Through Hole	Surface Mount	Right Angle	Vertical Mount	Mid-Mount	1.0mm & 1.3mm Pin DIA	2.0mm & 2.5mm Inner Pin DIA	Locking	High Current	Shielded	Crimped	High Temp
 KLDX 2.0mm/2.5mm, Right Angle Through Hole												
 KLDX-LT 2.0mm/2.5mm, Right Angle Locking Type												
 KLDX-LT 1.0mm/1.3mm, Right Angle Surface Mount												
 KLDX-SMT2 2.0mm/2.5mm, Surface Mount												
 KLDHCX 2.0mm/2.5mm, Right Angle 4A												
 KLDHCX-8 2.0mm/2.5mm, Right Angle 8A												
 KLDHCX-LT 2.0mm/2.5mm, Right Angle Locking Type, 5A												
 KLDHCX-MM 2.0mm/2.5mm, Mid-Mount 5A												
 KLDVX-SMT 2.0mm/2.5mm, Vertical Surface Mount												

Kycon DC power jacks are used in a variety of applications that require direct current to be supplied to a device. Kycon offers right angle and vertical orientations in a variety of interface sizes as well as mounting options such as through hole, surface mount, panel mount and mid mount. Also available are locking type and high current options.

DC Power

 Option Available

 Contact Kycon for Option

DC Power Product Page: [Click here](#)

[Table of Contents](#)

	Contacts	Through Hole	Right Angle	Vertical Mount	Panel Mount	Cable Mount	Plug	2.0mm & 2.5mm Inner Pin DIA	Locking	Snap & Lock	High Current	Shielded	High Temp
 KLDVHCX 2.0mm/2.5mm, Vertical 5A													
 KLDVHCX-LT 2.0mm/2.5mm, Locking Type 5A													
 KLDVX 2.0mm/2.5mm, Vertical Through Hole													
 KLDLX-0202-A Right Angle, Panel Mount													
 KLDPX-0207 2.0mm & 2.5mm, Panel Mount													
 KLDLX-P-0202-A-M8 Locking, Plug													
 KLDX-PA 2.0mm & 2.5mm, Power Plug													
 KLDX-PA-LT 2.0mm & 2.5mm, Power Plug Locking Type													
 KPJX Snap & Lock, Through Hole	3, 4												
 KPJX-CM Snap & Lock, Cable Mount Jack	3, 4												
 KPJX-PM Snap & Lock, Panel Mount	3, 4												
 KPPX Snap & Lock Cable Mount Plug	3, 4												







Circular Din/Mini Din

Option Available

Contact Kycon for Option

Circular/Mini Din Product Page: [Click here](#)

[Table of Contents](#)

	Contacts	Plug	Socket	Shielded	Non-Shielded	Right Angle	Vertical	Panel Mount	Cable Mount	Through Hole	Surface Mount	Stacked	Snap & Lock	PC99	High Temp
 KMDGX Stacked, Right Angle	3-8 10														
 KMDGX Right Angle	3-8 10														
 KMDLAX Cable Mount, Plug Snap & Lock	3-8														
 KMDPLX Panel Mount, Snap & Lock	4, 6														
 KMDTX Slim Design, Surface Mount Through Hole	4, 6														
 KMDVLX Vertical Mount Snap & Lock	3-8														

Kycon can engineer and manufacture a wide variety of custom cable assemblies and adapters. Kycon specializes in custom over-molded cable assemblies, phone cables, small wire harnesses, and custom adapters.



IP67 Product Page: [Click here](#)

Table of Contents









IP67

 <p>KUSB67X USB Quick release A-Type Socket to Socket</p>	 <p>KUSB67X USB Quick release A-Type Socket to PCB</p>	 <p>IP67X-PP-CAP USB Quick release CAP</p>	 <p>KUSB67X-SMTTH USB Type C</p>
 <p>STX-3537D Fully Sealed 3.5mm Audio Jacks</p>	 <p>GM67X-s-88 RJ45 Box Side Jack with Jack</p>	 <p>GM67X-CS RJ45 Cable Side</p>	 <p>GM67X-CBL RJ45 Box Side Jack with Cable & Plug</p>
 <p>GM67-CAP RJ45 CAP</p>			

HDMI

HDMI Product Page: [Click here](#)

Table of Contents

 <p>KDMIX with Flange & Top Springs Tabs</p>	 <p>KDMIX without Flange with Top Spring Surface Mount</p>	 <p>KDMIX 2.1 with Flange</p>	 <p>KDMIX 2.1 without Flange</p>
 <p>KDMIX Vertical</p>	 <p>KDMI42X Dual Stacked</p>	 <p>KMDMIX Mini</p>	 <p>KDMIX-SL1 Upright</p>

Kycon's commitment to customer service has continually awarded them one of the top two positions in the Bishop and Associates Customer Survey of the Electronic Connector Industry since 2005. In the most recent survey, Kycon held the #1 position for Inside Sales Support, Problem Handling, Turnaround Time, and Product Quality.

For more information or to experience why Kycon has earned such prestigious acclaim,

please contact us today! Phone: International: +1.408.494.0330

Product Information, Prices & Availability: sales@kycon.com Product Technical Support: support@kycon.com

Q-FLEX

www.q-flex.fi info@q-flex.fi
+358 2 4894 500